

NEOCHROMES SEMI-FINISHED SINGLE VISION LENSES PRODUCT GUIDE


PLASTIC 1.50

LENS SPECIFICATIONS

SEMI-FINISHED SINGLE VISION ● ●

Diameter (mm)	Base Curve	True Curve (D)	Back Curve (D)	Front Curve Radius (mm)	CT (mm)	ET (mm)
76	1.25	1.26	6.25	420.635	10.3	14.2
76	2.25	2.3	6.25	230.435	11.6	14.3
76	3.25	3.26	6.25	162.577	12.9	14.2
76	4.25	4.27	6.25	124.122	11.1	14.0
76	5.25	5.26	6.25	100.760	12.4	13.8
76	6.25	6.25	6.25	84.800	8.6	8.9
76	7.25	7.27	6.25	72.902	10.2	8.9
76	8.25	8.26	6.25	64.165	11.8	8.8

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.



NEOCHROMES SEMI-FINISHED SINGLE VISION LENSES PRODUCT GUIDE


POLYCARBONATE

LENS SPECIFICATIONS

SEMI-FINISHED SINGLE VISION ● ●

Diameter (mm)	Base Curve	True Curve (D)	Back Curve (D)	Front Curve Radius (mm)	CT (mm)	ET (mm)
76	0.5	0.54	4.25	981.481	8.8	14.5
76	1.25	1.28	4.25	414.063	9.8	14.6
76	2.25	2.29	4.25	231.441	9.9	13.1
76	3.25	3.29	4.25	161.094	11.4	13.5
76	4.25	4.26	6.11	124.413	10.6	14.0
76	5.25	5.23	6.11	101.338	11.5	13.7
76	6.25	6.29	6.11	84.261	10.0	10.6
76	7.25	7.26	9.5	73.003	8.7	14.0
76	8.25	8.25	9.5	64.010	10.4	13.9

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.



NEOCHROMES SEMI-FINISHED SINGLE VISION LENSES PRODUCT GUIDE



HI-INDEX 1.60 MR-8

LENS SPECIFICATIONS

SEMI-FINISHED SINGLE VISION ● ●

Diameter (mm)	Base Curve	True Curve (D)	Back Curve (D)	Front Curve Radius (mm)	CT (mm)	ET (mm)
73	0.50	0.59	6.39	898.305	7.5	14.9
73	1.00	0.95	6.39	557.895	7.2	14.3
73	2.00	1.82	6.39	291.209	9.1	15.1
73	3.00	3.06	6.39	173.203	9.8	12.7
73	4.00	3.97	5.66	133.501	8.3	12.1
73	5.00	5.00	5.68	106.000	9.2	10.0
73	6.00	5.88	5.66	90.136	9.3	8.9
73	7.00	6.96	5.66	76.149	9.6	7.5
73	8.00	7.92	5.66	66.919	11.8	8.4

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.



NEOCHROMES®

Embrace the light

NEOCHROMES SEMI-FINISHED SINGLE VISION LENSES PRODUCT GUIDE



HI-INDEX 1.67 MR-10

LENS SPECIFICATIONS

SEMI-FINISHED SINGLE VISION ● ●

Diameter (mm)	Base Curve	True Curve (D)	Back Curve (D)	Front Curve Radius (mm)	CT (mm)	ET (mm)
75	1.00	0.84	8.46	630.952	5.1	16.2
75	2.50	2.19	8.46	242.009	5.2	14.7
75	4.00	3.52	7.28	150.568	5.6	11.3
75	5.00	4.41	7.29	120.181	6.1	10.7
75	6.00	5.31	7.29	99.812	6.7	10.0
75	7.00	6.20	7.30	85.484	7.7	9.8
75	8.00	7.09	7.32	74.753	10.0	10.5

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.



NEOCHROMES DARK SEMI-FINISHED SINGLE VISION LENSES PRODUCT GUIDE

PLASTIC 1.50


NEOCHROMES®
DARK

LENS SPECIFICATIONS

SEMI-FINISHED SINGLE VISION ● ●

Diameter (mm)	Base Curve	True Curve (D)	Back Curve (D)	Front Curve Radius (mm)	CT (mm)	ET (mm)
76	1.25	1.26	6.25	420.635	10.3	14.2
76	2.25	2.3	6.25	230.435	11.6	14.3
76	3.25	3.26	6.25	162.577	12.9	14.2
76	4.25	4.27	6.25	124.122	11.1	14.0
76	5.25	5.26	6.25	100.760	12.4	13.8
76	6.25	6.25	6.25	84.800	8.6	8.9
76	7.25	7.27	6.25	72.902	10.2	8.9
76	8.25	8.26	6.25	64.165	11.8	8.8

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.



NEOCHROMES DARK SEMI-FINISHED SINGLE VISION LENSES PRODUCT GUIDE

POLYCARBONATE


NEOCHROMES®
DARK

LENS SPECIFICATIONS

SEMI-FINISHED SINGLE VISION ● ●

Diameter (mm)	Base Curve	True Curve (D)	Back Curve (D)	Front Curve Radius (mm)	CT (mm)	ET (mm)
76	0.5	0.54	4.25	981.481	8.8	14.5
76	1.25	1.28	4.25	414.063	9.8	14.6
76	2.25	2.29	4.25	231.441	9.9	13.1
76	3.25	3.29	4.25	161.094	11.4	13.5
76	4.25	4.26	6.11	124.413	10.6	14.0
76	5.25	5.23	6.11	101.338	11.5	13.7
76	6.25	6.29	6.11	84.261	10.0	10.6
76	7.25	7.26	9.5	73.003	8.7	14.0
76	8.25	8.25	9.5	64.010	10.4	13.9

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.



NEOCHROMES®

Embrace the light

NEOCHROMES DARK SEMI-FINISHED SINGLE VISION LENSES PRODUCT GUIDE

HI-INDEX 1.67 MR-10

NEOCHROMES®
DARK

LENS SPECIFICATIONS

SEMI-FINISHED SINGLE VISION ● ●

Diameter (mm)	Base Curve	True Curve (D)	Back Curve (D)	Front Curve Radius (mm)	CT (mm)	ET (mm)
75	1.00	0.84	8.46	630.952	5.1	16.2
75	2.50	2.19	8.46	242.009	5.2	14.7
75	4.00	3.52	7.28	150.568	5.6	11.3
75	5.00	4.41	7.29	120.181	6.1	10.7
75	6.00	5.31	7.29	99.812	6.7	10.0
75	7.00	6.20	7.30	85.484	7.7	9.8
75	8.00	7.09	7.32	74.753	10.0	10.5

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.

