


## NEOCHROMES FINISHED SINGLE VISION LENSES WITH AR PRODUCT GUIDE

### POLYCARBONATE

#### LENS SPECIFICATIONS

FINISHED SINGLE VISION WITH AR (FSVAR) ● ●

SPH Power	Front Base Curve (D)	Front Radius (mm)
-4.00	3.44	154.21
-3.75	3.66	144.82
-3.50	3.66	144.82
-3.25	3.66	144.82
-3.00	3.44	154.21
-2.75	3.66	144.82
-2.50	3.44	154.21
-2.25	3.66	144.82
-2.00	3.44	154.21
-1.75	3.66	144.82
-1.50	3.44	154.21
-1.25	3.66	144.82
-1.00	3.44	154.21
-0.75	3.66	144.82
-0.50	3.44	154.21
-0.25	3.66	144.82
0.00	3.44	154.21
0.25	3.66	144.82
0.50	3.44	154.21
0.75	3.66	144.82
1.00	3.44	154.21
1.25	3.66	144.82
1.50	3.44	154.21
1.75	3.66	144.82
2.00	3.44	154.21
2.25	3.66	144.82



For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.

# NEOCHROMES®

Embrace the light

## NEOCHROMES FINISHED SINGLE VISION LENSES WITH AR PRODUCT GUIDE

Sphere	Cyl	Diameter (mm)	Center Thickness (mm)	Edge Thickness (mm)
-4.00	0.00	70	1.32	5.96
-4.00	-0.25	70	1.30	5.94
-4.00	-0.5	70	1.30	5.94
-4.00	-0.75	70	1.30	5.94
-4.00	-1.00	70	1.30	5.94
-4.00	-1.25	70	1.30	5.94
-4.00	-1.5	70	1.30	5.94
-4.00	-1.75	70	1.30	5.94
-4.00	-2.00	70	1.30	5.94
-3.75	0.00	70	1.36	5.73
-3.75	-0.25	70	1.34	5.71
-3.75	-0.5	70	1.32	5.69
-3.75	-0.75	70	1.30	5.67
-3.75	-1.00	70	1.30	5.67
-3.75	-1.25	70	1.30	5.67
-3.75	-1.5	70	1.30	5.67
-3.75	-1.75	70	1.30	5.67
-3.75	-2.00	70	1.30	5.67
-3.50	0.00	70	1.40	5.42
-3.50	-0.25	70	1.38	5.40
-3.50	-0.5	70	1.36	5.38
-3.50	-0.75	70	1.34	5.36
-3.50	-1.00	70	1.32	5.34
-3.50	-1.25	70	1.30	5.32
-3.50	-1.5	70	1.30	5.32
-3.50	-1.75	70	1.30	5.32
-3.50	-2.00	70	1.30	5.32
-3.25	0.00	70	1.45	5.20
-3.25	-0.25	70	1.42	5.17
-3.25	-0.5	70	1.40	5.15
-3.25	-0.75	70	1.38	5.13
-3.25	-1.00	70	1.36	5.11
-3.25	-1.25	70	1.34	5.09
-3.25	-1.5	70	1.32	5.07
-3.25	-1.75	70	1.30	5.05
-3.25	-2.00	70	1.30	5.05
-3.00	0.00	70	1.49	4.91
-3.00	-0.25	70	1.47	4.89
-3.00	-0.5	70	1.45	4.87
-3.00	-0.75	70	1.43	4.85
-3.00	-1.00	70	1.40	4.82

Sphere	Cyl	Diameter (mm)	Center Thickness (mm)	Edge Thickness (mm)
-3.00	-1.25	70	1.38	4.80
-3.00	-1.5	70	1.36	4.78
-3.00	-1.75	70	1.34	4.76
-3.00	-2.00	70	1.32	4.74
-2.75	0.00	70	1.53	4.68
-2.75	-0.25	70	1.51	4.66
-2.75	-0.5	70	1.49	4.64
-2.75	-0.75	70	1.47	4.62
-2.75	-1.00	70	1.45	4.60
-2.75	-1.25	70	1.42	4.57
-2.75	-1.5	70	1.40	4.55
-2.75	-1.75	70	1.38	4.53
-2.75	-2.00	70	1.36	4.51
-2.50	0.00	70	1.57	4.40
-2.50	-0.25	70	1.55	4.38
-2.50	-0.5	70	1.53	4.36
-2.50	-0.75	70	1.51	4.34
-2.50	-1.00	70	1.49	4.32
-2.50	-1.25	70	1.47	4.30
-2.50	-1.5	70	1.45	4.28
-2.50	-1.75	70	1.43	4.26
-2.50	-2.00	70	1.40	4.23
-2.25	0.00	70	1.62	4.18
-2.25	-0.25	70	1.60	4.16
-2.25	-0.5	70	1.57	4.13
-2.25	-0.75	70	1.55	4.11
-2.25	-1.00	70	1.53	4.09
-2.25	-1.25	70	1.51	4.07
-2.25	-1.5	70	1.49	4.05
-2.25	-1.75	70	1.47	4.03
-2.25	-2.00	70	1.45	4.01
-2.00	0.00	70	1.66	3.91
-2.00	-0.25	70	1.64	3.89
-2.00	-0.5	70	1.62	3.87
-2.00	-0.75	70	1.60	3.85
-2.00	-1.00	70	1.57	3.82
-2.00	-1.25	70	1.55	3.80
-2.00	-1.5	70	1.53	3.78
-2.00	-1.75	70	1.51	3.76
-2.00	-2.00	70	1.49	3.74

# NEOCHROMES®

Embrace the light

## NEOCHROMES FINISHED SINGLE VISION LENSES WITH AR PRODUCT GUIDE

Sphere	Cyl	Diameter (mm)	Center Thickness (mm)	Edge Thickness (mm)
-1.75	0.00	70	1.70	3.68
-1.75	-0.25	70	1.68	3.66
-1.75	-0.5	70	1.66	3.64
-1.75	-0.75	70	1.64	3.62
-1.75	-1.00	70	1.62	3.60
-1.75	-1.25	70	1.60	3.58
-1.75	-1.5	70	1.57	3.55
-1.75	-1.75	70	1.55	3.53
-1.75	-2.00	70	1.53	3.51
-1.50	0.00	70	1.74	3.42
-1.50	-0.25	70	1.72	3.40
-1.50	-0.5	70	1.70	3.38
-1.50	-0.75	70	1.68	3.36
-1.50	-1.00	70	1.66	3.34
-1.50	-1.25	70	1.64	3.32
-1.50	-1.5	70	1.62	3.30
-1.50	-1.75	70	1.60	3.28
-1.50	-2.00	70	1.57	3.25
-1.25	0.00	70	1.79	3.20
-1.25	-0.25	70	1.76	3.17
-1.25	-0.5	70	1.74	3.15
-1.25	-0.75	70	1.72	3.13
-1.25	-1.00	70	1.70	3.11
-1.25	-1.25	70	1.68	3.09
-1.25	-1.5	70	1.66	3.07
-1.25	-1.75	70	1.64	3.05
-1.25	-2.00	70	1.62	3.03
-1.00	0.00	70	1.83	2.95
-1.00	-0.25	70	1.81	2.93
-1.00	-0.5	70	1.79	2.91
-1.00	-0.75	70	1.77	2.89
-1.00	-1.00	70	1.74	2.86
-1.00	-1.25	70	1.72	2.84
-1.00	-1.5	70	1.70	2.82
-1.00	-1.75	70	1.68	2.80
-1.00	-2.00	70	1.66	2.78
-0.75	0.00	70	1.87	2.72
-0.75	-0.25	70	1.85	2.70
-0.75	-0.5	70	1.83	2.68
-0.75	-0.75	70	1.81	2.66
-0.75	-1.00	70	1.79	2.64

Sphere	Cyl	Diameter (mm)	Center Thickness (mm)	Edge Thickness (mm)
-0.75	-1.25	70	1.76	2.61
-0.75	-1.5	70	1.74	2.59
-0.75	-1.75	70	1.72	2.57
-0.75	-2.00	70	1.70	2.55
-0.50	0.00	70	1.91	2.48
-0.50	-0.25	70	1.89	2.46
-0.50	-0.5	70	1.87	2.44
-0.50	-0.75	70	1.85	2.42
-0.50	-1.00	70	1.83	2.40
-0.50	-1.25	70	1.81	2.37
-0.50	-1.5	70	1.79	2.35
-0.50	-1.75	70	1.77	2.33
-0.50	-2.00	70	1.74	2.30
-0.25	0.00	70	1.95	2.25
-0.25	-0.25	70	1.93	2.23
-0.25	-0.5	70	1.91	2.21
-0.25	-0.75	70	1.89	2.19
-0.25	-1.00	70	1.87	2.17
-0.25	-1.25	70	1.85	2.15
-0.25	-1.5	70	1.83	2.13
-0.25	-1.75	70	1.81	2.10
-0.25	-2.00	70	1.79	2.08
0.00	0.00	70	2.00	2.02
0.00	-0.25	70	1.98	2.00
0.00	-0.5	70	1.95	1.97
0.00	-0.75	70	1.93	1.95
0.00	-1.00	70	1.91	1.93
0.00	-1.25	70	1.89	1.91
0.00	-1.5	70	1.87	1.89
0.00	-1.75	70	1.85	1.87
0.00	-2.00	70	1.83	1.85
0.25	0.00	70	2.00	1.75
0.25	-0.25	70	2.00	1.75
0.25	-0.5	70	2.00	1.75
0.25	-0.75	70	2.00	1.75
0.25	-1.00	70	2.00	1.75
0.25	-1.25	70	2.00	1.75
0.25	-1.5	70	2.00	1.75
0.25	-1.75	70	2.00	1.75
0.25	-2.00	70	2.00	1.75

# NEOCHROMES®

Embrace the light

## NEOCHROMES FINISHED SINGLE VISION LENSES WITH AR PRODUCT GUIDE

Sphere	Cyl	Diameter (mm)	Center Thickness (mm)	Edge Thickness (mm)
0.50	0.00	65	2.11	1.66
0.50	-0.25	65	2.11	1.66
0.50	-0.5	65	2.11	1.66
0.50	-0.75	65	2.11	1.66
0.50	-1.00	65	2.11	1.66
0.50	-1.25	65	2.11	1.66
0.50	-1.5	65	2.11	1.66
0.50	-1.75	65	2.11	1.66
0.50	-2.00	65	2.11	1.66
0.75	0.00	65	2.25	1.57
0.75	-0.25	65	2.25	1.57
0.75	-0.5	65	2.25	1.57
0.75	-0.75	65	2.25	1.57
0.75	-1.00	65	2.25	1.57
0.75	-1.25	65	2.25	1.57
0.75	-1.5	65	2.25	1.57
0.75	-1.75	65	2.25	1.57
0.75	-2.00	65	2.25	1.57
1.00	0.00	65	2.38	1.48
1.00	-0.25	65	2.38	1.48
1.00	-0.5	65	2.38	1.48
1.00	-0.75	65	2.38	1.48
1.00	-1.00	65	2.38	1.48
1.00	-1.25	65	2.38	1.48
1.00	-1.5	65	2.38	1.48
1.00	-1.75	65	2.38	1.48
1.00	-2.00	65	2.38	1.48
1.25	0.00	65	2.52	1.39
1.25	-0.25	65	2.52	1.39
1.25	-0.5	65	2.52	1.39
1.25	-0.75	65	2.52	1.39
1.25	-1.00	65	2.52	1.39
1.25	-1.25	65	2.52	1.39
1.25	-1.5	65	2.52	1.39
1.25	-1.75	65	2.52	1.39
1.25	-2.00	65	2.52	1.39

Sphere	Cyl	Diameter (mm)	Center Thickness (mm)	Edge Thickness (mm)
1.50	0.00	65	2.65	1.29
1.50	-0.25	65	2.65	1.29
1.50	-0.5	65	2.65	1.29
1.50	-0.75	65	2.65	1.29
1.50	-1.00	65	2.65	1.29
1.50	-1.25	65	2.65	1.29
1.50	-1.5	65	2.65	1.29
1.50	-1.75	65	2.65	1.29
1.50	-2.00	65	2.65	1.29
1.75	0.00	65	2.79	1.20
1.75	-0.25	65	2.79	1.20
1.75	-0.5	65	2.79	1.20
1.75	-0.75	65	2.79	1.20
1.75	-1.00	65	2.79	1.20
1.75	-1.25	65	2.79	1.20
1.75	-1.5	65	2.79	1.20
1.75	-1.75	65	2.79	1.20
1.75	-2.00	65	2.79	1.20
2.00	0.00	65	2.92	1.11
2.00	-0.25	65	2.92	1.11
2.00	-0.5	65	2.92	1.11
2.00	-0.75	65	2.92	1.11
2.00	-1.00	65	2.92	1.11
2.00	-1.25	65	2.92	1.11
2.00	-1.5	65	2.92	1.11
2.00	-1.75	65	2.92	1.11
2.00	-2.00	65	2.92	1.11
2.25	0.00	65	3.06	1.02
2.25	-0.25	65	3.06	1.02
2.25	-0.5	65	3.06	1.02
2.25	-0.75	65	3.06	1.02
2.25	-1.00	65	3.06	1.02
2.25	-1.25	65	3.06	1.02
2.25	-1.5	65	3.06	1.02
2.25	-1.75	65	3.06	1.02
2.25	-2.00	65	3.06	1.02