

CUSTOMER INFORMATION

Customer name: _____ Date: _____

Contact person: _____ Phone: _____

Special instructions: _____

ORDERING INFORMATION

Email this completed order form including all pages to: orderneochromes@iotamerica.com

Or fax this completed order form including all pages to: 310-347-4280

NEOCHROMES®: PLACE ORDERS IN PIECES

Neochromes		SFSV Gray								
Material	Diameter	Base Curve								
		0.50	1.25	2.25	3.25	4.25	5.25	6.25	7.25	8.25
1.50	76	n/a								
POLY	76									
		2.00 (75 mm)	4.00 (75 mm)	5.00 (75 mm)	6.00 (70 mm)	8.00 (70 mm)				
TRIVEX®	70/75									
		0.50	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00
1.60	73									
		1.00	2.50	4.00	5.00	6.00	7.00	8.00		
1.67	75									

Neochromes		SFSV Brown								
Material	Diameter	Base Curve								
		0.50	1.25	2.25	3.25	4.25	5.25	6.25	7.25	8.25
1.50	76	n/a								
POLY	76									
		2.00 (75 mm)	4.00 (75 mm)	5.00 (75 mm)	6.00 (70 mm)	8.00 (70 mm)				
TRIVEX®	70/75									
		0.50	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00
1.60	73									
		1.00	2.50	4.00	5.00	6.00	7.00	8.00		
1.67	75									

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.

NEOCHROMES® DARK: PLACE ORDERS IN PIECES

Neochromes Dark		SFSV Gray								
Material	Diameter	Base Curve								
		0.50	1.25	2.25	3.25	4.25	5.25	6.25	7.25	8.25
1.50	76	n/a								
POLY	76									
			1.00	2.50		4.00	5.00	6.00	7.00	8.00
1.67	75									

Neochromes Dark		SFSV Brown								
Material	Diameter	Base Curve								
		0.50	1.25	2.25	3.25	4.25	5.25	6.25	7.25	8.25
1.50	76	n/a								
POLY	76									
			1.00	2.50		4.00	5.00	6.00	7.00	8.00
1.67	75									

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.

NEOCHROMES® FT28: PLACE ORDERS IN PIECES

Neochromes FT28			FT28 Gray									
Material	Base Curve	Diameter	Eye	ADD								
				1.00D	1.25D	1.50D	1.75D	2.00D	2.25D	2.50D	2.75D	3.00D
POLY	2.25	75	R									
			L									
	4.25	75	R									
			L									
	6.25	75	R									
			L									
	8.25	75	R									
			L									

Neochromes FT28			FT28 Brown									
Material	Base Curve	Diameter	Eye	ADD								
				1.00D	1.25D	1.50D	1.75D	2.00D	2.25D	2.50D	2.75D	3.00D
POLY	2.25	75	R									
			L									
	4.25	75	R									
			L									
	6.25	75	R									
			L									
	8.25	75	R									
			L									

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.

NEOCHROMES® CAMBER: PLACE ORDERS IN PIECES

Neochromes Camber		SFSV Gray							
Material	Diameter	Base Curve							
		0.50	2.00	3.00	4.00	5.00	6.00	7.00	8.00
POLY	76								
1.60 UC	76								
1.67 UC	76								

Neochromes Camber		SFSV Brown							
Material	Diameter	Base Curve							
		0.50	2.00	3.00	4.00	5.00	6.00	7.00	8.00
POLY	76								
1.60 UC	76								
1.67 UC	76								

For more information regarding Rx ranges and technical specifications, please ask your IOT area representative.